


Solar LED Square Bollard Light

5W Código 5391



919 LM

ECO Bolardo solar LED cuadrado: El panel solar, irradiado por la luz solar, absorbe la luz solar y la convierte en energía eléctrica para cargar la batería. Por la noche, la batería alimenta la iluminación LED. El controlador de CC garantiza que la batería no se dañe por sobrecarga o descarga excesiva. Además, cuenta con compensación de temperatura, protección contra rayos, protección contra inversión de polaridad y otras funciones como control de iluminación. Puede iluminar durante aproximadamente 3 días de lluvia. Ideal para parques, apartamentos, residencias, jardines, patios, carreteras y muchas otras aplicaciones.



CARACTERISTICAS:

- Alta eficiencia luminosa y larga vida útil.
- Se utiliza un controlador solar especial.
- Se utiliza un chip de fuente de luz Osram.
- Panel solar de silicio monocristalino.
- Excelente diseño óptico que mejora considerablemente el aprovechamiento de la luz.




SPECIFICATION	
TYPE	ECO-SPSBL5W5-50K-B
WATTAGE	5W
CCT	5000K
LUMEN	153.77 LM (20%) 919 LM (100%)
CRI	80
MATERIAL	Die-casting aluminum
SOLAR PANELS	5V/5W
BATTERY	3.2V/8000mAh
CHIP	OSRAM 3030
LAMP SIZE	7.87 X 7.87 X 9.45 inch
WORKING TIME	≥10H
CHARGING TIME	≥5H
WORKING TEMPERATURE	-4°F ~ 122°F
CABLE	NO
OUTDOOR RATING	IP65
WARRANTY	2 year limited

Solar LED Square Bollard Light

5W Código 5391

DIMENSION



PACKAGING INFORMATION

□ ECO-SPSBL5W5-50K-B

INNER BOX:

940MMX160MMX150MM(1Pcs/CTN)
(37.01" X6.30" X5.91")

OUTER BOX:

960MMX680MMX330MM(8Pcs/CTN)
(37.80" X26.77" X12.99")

SPECIFICATIONS:

MATERIALES: Aluminum & PC Net

PESO: 6.55 lbs Finish: Black(Standard)

TAMAÑO :235 X 150X1000(mm)

9.25"X5.91"X39.37"



Solar lawn lamp-switch control mode

- 1 Press the switch button once
(PIR motion sensor)
- 2 Press the switch button twice
(constant mode)
- 3 Press the switch button three times
(turn off)

20% brightness
when people leave



Solar LED Square Bollard Light

5W 919LM



Expansion Screw



SCREW

CURVA FOTOMETRICA

